


Agriculture Ball Bearings



Special Ball Bearings Agri Series

- Type 1 Spherical outer ring
- Type 2 Spherical outer ring - Inner ring extended one side
- Type 3 Spherical outer ring - Inner ring extended both sides
- Type 4 Cylindrical outer ring
- Type 5 Cylindrical outer ring - Inner ring extended one side
- Type 6 Cylindrical outer ring - Inner ring extended both sides

Round bore:



Part number	Type	Notes	I.D. mm (J)	I.D. inch (J)	O.D. mm (AJ)	W1 mm	W2 mm	Cross reference	
207NPPB	1		35,00		72,00	17,00		INA	207-XL-NPP-B
W209PPB2	1		45,00		85,00	30,18		FAFNIR	W209PPB2
PAST627A	3		55,56		100,00	55,50		PEER	ST627A
W205PPB7	3	Inch size bore	23,81	15/16	52,00	35,00	15,00	FAFNIR	205PPB7
203JD	4		17,00		40,00	14,00		PEER	203JD
204BBAR	4	Inch size bore	19,05	3/4	45,23	15,49		FAFNIR	P204RR6
204RY2	5	Inch size bore	16,03	5/8	45,22	18,67	15,49	FAFNIR	204RY2
205KRP2	5	Inch size bore	19,05	3/4	52,00	21,03	15,00	FAFNIR	205KRP2
PA205GP	5	Inch size bore	16,00	5/8	53,09	19,40		FAFNIR	205DDS-5/8
207KRR AH03 C3	6		35,00		72,00	25,00	17,00	INA	207-XL-KRR-AH03
208KRR4 C3	6		38,89		80,00	27,50	21,00	INA	208-XL-KRR-AH04
WIR210-31	6		49,21		90,00	49,20	20,00	PEER	WIR210-31
WIR211-33	6		52,39		100,00	56,60	21,00	PEER	WIR211-33
WIR212-39	6		61,91		110,00	61,90	22,00	PEER	WIR212-39


JIANGSU WALLONG-HSIN MACHINERY ENGINEERING CORPORATION LTD.

SINO-MACHINERY AGRO-DEVELOPMENT INVESTMENT CO., LTD. JIANGSU BRANCH

website: www.camcjsw-bearings.com e-mail: guchenglong@camcjsw.com camcjsw@camcjsw.com(general)



tel: +86-510-8270 1813(General) +86-510-8273 6527(Business) fax: +86-510-8272 5039/ 8271 0822

Round bore:




Part number	Type	Boundary Dimensions			
		d Inch/mm	D Inch/mm	Be Inch/mm	Bi Inch/mm
203KR2	3	15.883	40	14.0	12
BB203KRR2	1	16.26	40	18.29	12
203KRR2	1	16.26	40	18.29	12
BB203KRR2FD	4	16.26	40	18.29	12
203KRR5	1	13.081	40	18.29	12
203KRR7	1	17	40	16.61	12
204KR2	3	19.063	45.225	15.49	15.49
204KRR3	1	20	47	17.75	14
205KR4	2	25.413	52	25.40	15
206KR7	2	30	62	24.00	16
206KRR8	1	30	62	24.00	16
207KRR	1	35	72	25.00	17
208KRR2	1	40	80	27.00	21
209KRR3	1	45	85	27.00	21
210KRR	1	50	90	30.00	20
212KRR	1	60	100	36.00	22


Hexagonal bore:




Type 1



Type 2



Type 3



Type 4

Part number	Type	Shaft Dia.	A Inch/mm	D Inch/mm	Be Inch/mm	Bi Inch/mm
202KRR3	1	9/16"	.5630 14.300	1.3780 35.000	.4330 11.000	.5120 13.000
204KPP2	3	11/16"	.6950 17.653	1.8504 47.000	.5510 14.000	.8250 20.955
204KRR2	1	11/16"	.6950 17.653	1.8504 47.000	.5510 14.000	.8250 20.955
204KRRB2	2	11/16"	.6950 17.653	1.8504 47.000	.5510 14.000	.8250 20.955
205KPP2	3	7/8"	.8760 22.250	2.0472 52.000	.5910 15.000	1.0000 25.400
205KRR2	1	7/8"	.8760 22.250	2.0472 52.000	.5910 15.000	1.0000 25.400
205KPPB2	4	7/8"	.8760 22.250	2.0472 52.000	.5910 15.000	1.0000 25.400
205KRRB3	2	7/8"	.8760 22.250	2.0472 52.000	.5910 15.000	1.0000 25.400
206KPP3	1	1"	1.0010 25.425	2.4409 62.000	.6300 16.000	.9450 24.000
206KPPB3	2	1"	1.0010 25.425	2.4409 62.000	.6300 16.000	.9450 24.000
206KPPB4	4	1"	1.0010 25.425	2.4409 62.000	.7087 18.000	.9450 24.000
206KRR6	1	1"	1.0010 25.425	2.4409 62.000	.6300 16.000	.9450 24.000
206KRRB6	2	1"	1.0010 25.425	2.4409 62.000	.6300 16.000	.9450 24.000
G206KRRB6	2	1"	1.0010 25.425	2.4409 62.000	.6300 16.000	.9450 24.000
G207KPPB2*	4	1 1/8"	1.1260 28.600	2.8346 72.000	.7480 19.000	1.4840 37.694

JIANGSU WALLONG-HSIN MACHINERY ENGINEERING CORPORATION LTD.


SINO-MACHINERY AGRO-DEVELOPMENT INVESTMENT CO., LTD. JIANGSU BRANCH

website: www.camcjsw-bearings.com e-mail: guchenglong@camcjsw.com camcjsw@camcjsw.com(general)

tel: +86-510-8270 1813(General) +86-510-8273 6527(Business) fax: +86-510-8272 5039/ 8271 0822

Part number	Type	Shaft Dia.	A Inch/mm	D Inch/mm	Be Inch/mm	Bi Inch/mm
207KPP3	1	1 1/4"	1.2510 31.77	2.8346 72.000	.6690 17.000	1.4840 37.694
207KPPB3	2	1 1/4"	1.2510 31.77	2.8346 72.000	.6690 17.000	1.4840 37.694
207KRRB9	2	1 1/8"	1.1260 28.600	2.8346 72.000	.6690 17.000	1.4840 37.694
207KRRB12	2	1 1/8"	1.1260 28.600	2.8346 72.000	.6690 17.000	.9840 25.000
207KRR17	1	1 1/4"	1.2510 31.77	2.8346 72.000	.6690 17.000	1.4840 37.694
207KRRB17	2	1 1/4"	1.2510 31.77	2.8346 72.000	.6690 17.000	1.4840 37.694
GW208KPPB22*	4	1 1/4"	1.2510 31.877	3.1496 80.000	.8270 21.000	1.4380 36.520
W208KRRB6	2	1 3/8"	1.3760 34.950	3.1496 80.000	.8270 21.000	1.4380 36.520
W208KPPB16	4	1 1/4"	1.2510 31.775	3.1496 80.000	.7090 18.000	1.438 36.520
W208KPP21	3	1 1/4"	1.2510 31.775	3.1496 80.000	.7090 18.000	1.4380 36.520
G209KPPB2*	4	1 1/2"	1.5010 38.125	3.3465 85.000	.7480 19.000	1.1810 30.000
G5209KYYB2**		1 1/2"	1.5010 38.125	3.3465 85.000	1.1811 30.000	1.2992 33.000
209KRRB2	2	1 1/2"	1.5010 38.125	3.3465 85.000	.7480 19.000	1.1810 30.000
210KPPB7	2	1 5/8"	1.6260 41.30	3.5433 90.000	1.1880 30.175	1.1880 30.175
210KPPB20	3	1 1/4"	1.2550 31.877	3.5433 90.000	0.8661 22.000	1.4350 36.450
210KPP20	3	1 1/4"	1.2550 31.877	3.5433 90.000	0.8661 22.000	1.435 36.450
G210KPPB2*	4	1 1/2"	1.5010 38.125	3.5433 90.000	0.8661 22.000	1.1811 30.000
GC211-32-NLC*	3	1 3/4"	1.7510 44.475	3.9370 100.000	.9840 25.000	2.2500 57.150

Square bore:



Type 1

Type 2

Type 3

Type 4

Type 5


Type 6

Part number	Type	Shaft Dia.	A Inch/mm	D Inch/mm	Be Inch/mm	Bi Inch/mm
W208PP5	4	1 1/8 28.575	1.1800 29.970	3.1496 80.000	.7090 18.000	1.4380 36.520
W208PPB5	1	1 1/8 28.575	1.1800 29.970	3.1496 80.000	.7090 18.000	1.4380 36.520
W208PP6	4	1 25.400	1.0300 26.162	3.1496 80.000	.7090 18.000	1.4380 36.520
W208PPB6	1	1 25.400	1.0300 26.162	3.1496 80.000	.7090 18.000	1.4380 36.520
W208PP8	4	1 1/8 28.575	1.1800 29.972	3.1496 80.000	1.1880 30.175	1.4380 36.520
W208PPB8	2	1 1/8 28.575	1.1800 29.972	3.1496 80.000	1.1880 30.175	1.4380 36.520
W208PPB9	2	1 25.400	1.0300 26.162	3.1496 80.000	1.1880 30.175	1.4380 36.520
W208PPB11	6	7/8 22.225	.9050 23.000	3.3760 85.750	1.1880 30.175	1.4380 36.520
W208PPB12	6	1 1/8 28.575	1.1800 29.972	3.3760 85.750	1.1880 30.175	1.4380 36.520
W208PPB13	1	7/8 22.225	.9050 23.000	3.1496 80.000	.7090 18.000	1.4380 36.520
W209PPB5	2	1 1/4 31.750	1.2900 32.766	3.3465 85.000	1.1880 30.175	1.4380 36.520
W209PPB7	6	1 1/4 31.750	1.2900 32.766	3.3760 85.750	1.1880 30.175	1.4375 36.510

Part number	Type	Shaft Dia.	A Inch/mm	D Inch/mm	Be Inch/mm	Bi Inch/mm
W210PP4	5	1 1/8 28.575	1.1800 29.972	3.5433 90.000	1.1880 30.175	1.1880 30.150
W210PPB4	3	1 1/8 28.575	1.1800 29.972	3.5433 90.000	1.1880 30.175	1.1880 30.175
W210PPB6	2	1 1/8 28.575	1.1800 29.972	3.5433 90.000	1.1880 30.175	1.4380 36.520
W211PP3	5	1 1/2 38.100	1.5311 38.890	3.9370 100.000	1.3120 33.324	1.3120 33.324
W211PPB3	3	1 1/2 38.100	1.5311 38.890	3.9370 100.000	1.3120 33.324	1.3120 33.324
W211PP5	4	1 1/2 38.100	1.5311 38.890	4.0000 101.600	1.4380 36.520	1.7500 44.450
W211PPB6	6	1 1/2 38.100	1.5311 38.890	4.0707 103.556	1.4380 36.520	1.7500 44.450

Angular Contact Ball Bearings

Double Row:



Part number	Dimensions(mm)				SKF	NTN	NSK
	d	D	B	C			
30/8A	8	22	11		30/8A	50/8	50/8
3000A	10	26	12		3000A	5000	5000
3001A	12	28	12		3001A	5001	5001
3002A	15	32	13		3002A	5002	5002
3003A	17	35	14		3003A	5003	5003
3004A	20	42	16		3004A	5004	5004
3005A	25	47	16		3005A	5005	5005
3006A	30	55	19		3006A	5006	5006
3007A	35	62	20		3007A	5007	5007
3008A	40	68	21		3008A	5008	5008
3009A	45	75	23		3009A	5009	5009
3010A	50	80	23		3010A	5010	5010
3011A	55	90	26		3011A	5011	5011
3012A	60	95	26		3012A	5012	5012
3013A	65	100	26		3013A	5013	5013
3014A	70	110	30		3014A	5014	5014
3015A	75	115	30		3015A	5015	5015
3016A	80	125	34		3016A	5016	5016
3017A	85	130	34		3017A	5017	5017
3018A	90	140	37		3018A	5018	5018
3200A	10	30	14.3		3200A	5200	5200
3201A	12	32	15.9		3201A	5201	5201

JIANGSU WALLONG-HSIN MACHINERY ENGINEERING CORPORATION LTD.

SINO-MACHINERY AGRO-DEVELOPMENT INVESTMENT CO., LTD. JIANGSU BRANCH

website: www.camcjsw-bearings.com e-mail: guchenglong@camcjsw.com camcjsw@camcjsw.com(general)

tel: +86-510-8270 1813(General) +86-510-8273 6527(Business) fax: +86-510-8272 5039/ 8271 0822

Part number	Dimensions(mm)				SKF	NTN	NSK
	d	D	B	C			
W3201A	12	32	17.5		W3201A	W5201	W5201
3202A	15	35	15.9		3202A	5202	5202
W3202A	15	35	19.05		W3202A	W5202	W5202
3203A	17	40	17.5		3203A	5203	5203
W3203A	17	40	20.6		W3203A	W5203	W5203
3204A	20	47	20.6		3204A	5204	5204
W3204A	20	47	23.8		W3204A	W5204	W5204
3205A	25	52	20.6		3205A	5205	5205
W3205A	25	52	23.8		W3205A	W5205	W5205
3206A	30	62	23.8		3206A	5206	5206
W3206A	30	62	27		W3206A	W5206	W5206
3207A	35	72	27		3207A	5207	5207
W3207A	35	72	30.2		W3207A	W5207	W5207
3208A	40	80	30.2		3208A	5208	5208
3209A	45	85	30.2		3209A	5209	5209
3210A	50	90	30.2		3210A	5210	5210
3211A	55	100	33.3		3211A	5211	5211
3212A	60	110	36.5		3212A	5212	5212
3213A	65	120	38.1		3213A	5213	5213
3214A	70	125	39.7		3214A	5214	5214
3300A	10	35	19		3300A	5300	5300
3301A	12	37	19		3301A	5301	5301
3302A	14	42	19		3302A	5302	5302
3303A	17	47	22.2		3303A	5303	5303
3304A	20	52	22.2		3304A	5304	5304
W3304A	20	52	25.4		W3304A	W5304	W5304
3305A	25	62	25.4		3305A	5305	5305
W3305A	25	62	29.6		W3305A	W5305	W5305
3306A	30	72	30.2		3306A	5306	5306
W3306A	30	72	33.3		W3306A	W5306	W5306
3307A	35	80	34.9		3307A	5307	5307
W3307A	35	80	38.1		W3307A	W5307	W5307
3308A	40	90	36.5		3308A	5308	5308
3309A	45	100	39.7		3309A	5309	5309
3310A	50	110	44.4		3310A	5310	5310
3311A	55	12	49.2		3311A	5311	5311
3312A	60	0130	54		3312A	5312	5312
3313A	65	120	38.1		3313A	5313	5313

JIANGSU WALLONG-HSIN MACHINERY ENGINEERING CORPORATION LTD.

SINO-MACHINERY AGRO-DEVELOPMENT INVESTMENT CO., LTD. JIANGSU BRANCH


website: www.camcjsw-bearings.com e-mail: guchenglong@camcjsw.com camcjsw@camcjsw.com(general)

tel: +86-510-8270 1813(General) +86-510-8273 6527(Business) fax: +86-510-8272 5039/ 8271 0822

Double Row Thin Section:

Part number	Dimensions(mm)				SKF	NTN	NSK
	d	D	B	C			
3804A	20	32	10		3804A	5804	5804
3805A	25	37	10		3805A	5805	5805
3806A	30	42	10		3806A	5806	5806
3807A	35	47	10		3807A	5807	5807
3808A	40	52	10		3808A	5808	5808
3809A	45	58	10		3809A	5809	5809
3810A	50	65	12		3810A	5810	5810
3812A	60	78	14		3812A	5812	5812
3814A	65	90	15		3814A	5814	5814
3816A	70	100	15		3816A	5816	5816
3818A	80	115	19		3818A	5818	5818
3819A	90	120	19		3819A	5819	5819
3820A	100	125	19		3820A	5820	5820
3904A	20	37	13		3904A	5904A	5904A
3905A	25	42	13		3905A	5905A	5905A
3906A	30	47	13		3906A	5906A	5906A
3907A?	35	55	15		3907A?	5907A	5907A
3908A	40	62	16		3908A	5908A	5908A
3909A	45	68	16		3909A	5909A	5909A
3910A	50	72	16		3910A	5910A	5910A
3911A	55	80	19		3911A	5911A	5911A
3912A	60	85	19		3912A	5912A	5912A
3913A	65	90	19		3913A	5913A	5913A
3914A	70	100	23		3914A	5914A	5914A
3915A	75	105	23		3915A	5915A	5915A
3916A	80	110	23		3916A	5916A	5916A
3917A	85	120	26		3917A	5917A	5917A
3918A	90	125	26		3918A	5918A	5918A
3919A	95	130	26		3919A	5919A	5919A
3920A	100	140	30		3920A	5920A	5920A

Double Row With One Inner Ring:




Part number	Type	I.D. mm (J)	O.D. mm (A)	W1 mm	W2 mm	Cross reference	
5203KYY2	2	16,26	40,00	43,94	39,12	TIMKEN	5203KYY2
5204-2RS C3	1	20,00	47,00	20,60		TIMKEN	5204KE
5206-2RS C3	1	30,00	62,00	23,80		TIMKEN	5206KE
5206KPP3	2	30,00	62,00	50,00	37,00	PEER	5206KPP3
PF110415	1	20,00	47,00	20,60		INA	F-110415.01

Double Row With Two Inner Rings:




Part number	Dimensions(mm)			Part number	Dimensions(mm)		
	d	D	B		d	D	B
3305DA	25	62	25.4	3311DA	55	120	49.2
3306DA	30	72	30.2	3312DA	60	130	54
3307DA	35	80	34.9	3313DA	65	140	58.7
3308DA	40	90	36.5	3314DA	70	150	63.5
3309DA	45	100	39.7	3210DA	50	90	30.2
3310DA	50	110	44.4				

Double Row With Two Inner Rings:



Part number	Type	I.D. mm (J)	O.D. mm (A)	W1 mm	W2 mm	Cross reference	
PA30620030CS		30,00	62,00	30,00		LEMKEN	3198760
PW35720034CS		35,00	72,00	34,00		LEMKEN	3198750
PA45750023/15CS		45,00	75,00	23,00	15,00	SNR	GB10721 S03
PA45750027/15CS		45,00	75,00	27,00	15,00	SNR	GB12508

Double Row Deep Groove Ball Bearings



Part number	Dimensions(mm)				SKF	FAG
	d	D	B	C		
4200	10	30	14		4200A	4200
4201	12	32	14		4201A	4201
4202	15	35	14		4202A	4202
4203	17	40	16		4203A	4203
4204	20	47	18		4204A	4204
4205	25	52	18		4205A	4205
4206	30	62	20		4206A	4206
4207	35	72	23		4207A	4207
4208	40	80	23		4208A	4208
4209	45	85	23		4209A	4209
4210	50	90	23		4210A	4210
4211	55	100	25		4211A	4211
4212	60	110	28		4212A	4212
4213	65	120	31		4213A	4213
4214	15	42	17		4302A	4214
4302	17	47	19		4303A	4302
4303	20	52	21		4304A	4303
4304	25	62	24		4305A	4304
4305	25	62	24		4305A	4305
4306	30	72	27		4306A	4306
4307	35	80	31		4307A	4307
4308	40	90	33		4308A	4308
4309	45	100	36		4309A	4309
4310	50	110	40		4310A	4310
4311	55	120	43		4311A	4311
4312	60	130	46		4312A	4312
4313	65	140	48		4313A	4313

JIANGSU WALLONG-HSIN MACHINERY ENGINEERING CORPORATION LTD.

SINO-MACHINERY AGRO-DEVELOPMENT INVESTMENT CO., LTD. JIANGSU BRANCH

website: www.camcjsw-bearings.com e-mail: guchenglong@camcjsw.com camcjsw@camcjsw.com(general)

tel: +86-510-8270 1813(General) +86-510-8273 6527(Business) fax: +86-510-8272 5039/ 8271 0822


Radial Insert Ball Bearings



Type 1 Spherical outer ring - Inner ring extended one side.

Type 2 Spherical outer ring - Inner ring extended both sides.

Eccentric Locking Collar:



Part number	Type	Notes	I.D. mm (J)	I.D. inch (J)	O.D. mm (A)	W1 mm	W2 mm	Cross reference	
RA100RRB	1	Inch size bore	25,40	1	52,00	31,00		FAFNIR	RA100RRB
RA102RRB	1	Inch size bore	28,58	1 1/8	62,00	35,60		FAFNIR	RA102RRB
RA103RRB2	1	Inch size bore	31,75	1 1/4	62,00	35,60		FAFNIR	RA103RRB2
RA108RR1	2	Inch size bore	38,10	1 1/2	80,00	43,70	22,00	FAFNIR	RA108RR
RAE15NPPB - 3L	1		15,00		40,00	28,60		INA	RAE15 - NPP - B
RAE17NPPB	1		17,00		40,00	28,60		INA	RAE17 - NPP - B
RAE20NPPB	1		20,00		47,00	31,00		INA	RAE20 - NPP - B
RAE25NPPB - 3L	1		25,00		52,00	31,00		INA	RAE25 - NPP - B
RAE30NPP - 3L	2		30,00		62,00	35,70		INA	RAE30 - NPP
RAE30NPPB - 3L	1		30,00		62,00	35,70		INA	RAE30 - NPP - B
RAE35NPP - 3L	2		35,00		72,00	38,90		INA	RAE35 - NPP
RAE35NPPB - 3L	1		35,00		72,00	38,90		INA	RAE35 - NPP - B
RAE40NPPB - 3L	1		40,00		80,00	43,70		INA	RAE40 - NPP - B
RAL012NPP2	2	Inch size bore	19,05	3/4	42,00	24,60	12,00	INA	RAL012 - NPP
GRA010NPPB - 3L	1	Inch size bore	15.88	5/8	40.00	28.60		INA	GRA010 - NPP - B - AS2/V
GRA012NPPB - 3L	1	Inch size bore	19.05	3/4	47.00	30.90		INA	GRA012 - NPP - B - AS2/V

JIANGSU WALLONG-HSIN MACHINERY ENGINEERING CORPORATION LTD.


SINO-MACHINERY AGRO-DEVELOPMENT INVESTMENT CO., LTD. JIANGSU BRANCH

website: www.camcjsw-bearings.com e-mail: guchenglong@camcjsw.com camcjsw@camcjsw.com(general)

tel: +86-510-8270 1813(General) +86-510-8273 6527(Business) fax: +86-510-8272 5039/ 8271 0822


Part number	Type	Notes	I.D. mm (J)	I.D. inch (J)	O.D. mm (A)	W1 mm	W2 mm	Cross reference	
GRA014NPPB - 3L	1	Inch size bore	22.23	7/8	52.00	30.90		INA	GRA014 - NPP - B - AS2/V
GRA10NPPB - AS2	1	Inch size bore	25.40	1	52.00	31.00		INA	GRA100 - NPP - B - AS2/V
GRA012NPPB - 3L	1	Inch size bore	28.58	1 1/8	62.00	35.70		INA	GRA012 - NPP - B - AS2/V
GRA013NPPB - AS2	1	Inch size bore	30.16	1 3/16	62.00	35.80		INA	GRA013 - NPP - B - AS2/V
GRA014 - 206 - NPPB - 3L	1	Inch size bore	31.75	1 1/4	62.00	35.70		INA	GRA014 - 206 - NPP - B - AS2/V
GRA016NPPB - AS2	1	Inch size bore	34.93	1 3/8	72.00	39.00		INA	GRA016 - NPP - B - AS2/V
GRA017NPPB - 3L	1	Inch size bore	36.51	1 7/16	72.00	38.90		INA	GRA017 - NPP - B - AS2/V
GRA018NPPB - 3L	1	Inch size bore	38.10	1 1/2	80.00	43.70		INA	GRA018 - NPP - B - AS2/V
GRA112NPPB	1	Inch size bore	44.45	1 3/4	85.00	43.70		INA	GRA112 - NPP - B - AS2/V
GRAE20NPPB - 3L	1		20.00		47.00	31.00		INA	GRAE20 - XL - NPP - B
GRAE25NPPB - 3L	1		25.00		52.00	31.00		INA	GRAE25 - XL - NPP - B
GRAE30NPPB - 3L	1		30.00		62.00	35.70		INA	GRAE30 - XL - NPP - B
GRAE35NPPB - 3L	1		35.00		72.00	38.90		INA	GRAE35 - XL - NPP - B
GRAE40NPPB - 3L	1		40.00		80.00	43.70		INA	GRAE40 - XL - NPP - B
GRAE45NPPB - 3L	1		45.00		85.00	43.80		INA	GRAE45 - XL - NPP - B
GRAE50NPPB - 3L	1		50.00		90.00	43.80		INA	GRAE50 - XL - NPP - B
GRAE55NPPB - 3L	1	Inch size bore	55.81		100.00	48.40		INA	GRAE55 - XL - NPP - B
G1015KRRB - 3L	2	Inch size bore	23.81	15/16	52.00	44.40		FAFNIR	G1015KRRB
G1100KRRB - 3L	2	Inch size bore	25.40	1	52.00	44.40		FAFNIR	G1100KRRB
G1102KPB3	2	Inch size bore	28.58	1 1/8	62.00	48.40		FAFNIR	G1102KPB3
G1102KRRB - 3L	2	Inch size bore	28.58	1 1/8	62.00	48.40		FAFNIR	G1102KRRB
G1103KPB3	2	Inch size bore	30.16	1 3/16	62.00	48.40		FAFNIR	G1103KPB3
G1103KRRB - 3L	2	Inch size bore	30.16	1 3/16	62.00	48.40		FAFNIR	G1103KRRB
G1108KRRB	2	Inch size bore	38.10	1 1/2	80.00	54.60		FAFNIR	G1108KRRB
GE25KRRB - 3L	2	Inch size bore	25.00		52.00	44.40		INA	GE25 - XL - KRR - B
GE30KRRB - 3L	2	Inch size bore	30.00		62.00	48.40		INA	GE30 - XL - KRR - B
GE35KRRB - 3L	2	Inch size bore	35.00		72.00	51.10		INA	GE35 - XL - KRR - B
GE40KRRB - 3L	2	Inch size bore	40.00		80.00	54.30		INA	GE40 - XL - KRR - B
GE45KRRB - 3L	2	Inch size bore	45.00		85.00	56.30		INA	GE45 - XL - KRR - B
GE50KRRB - 3L	2	Inch size bore	50.00		90.00	62.80		INA	GE50 - XL - KRR - B
GNE40KRRB - 3L	2	Inch size bore	40.00		90.00	54.60		INA	GNE40 - XL - KRR - B
GNE50KRRB	2	Inch size bore	50.00		110.00	66.70		INA	GNE50 - XL - KRR - B
GNE60KRRB	2	Inch size bore	60.00		130.00	68.40		INA	GNE60 - XL - KRR - B
NA206 - 3L	2		30.00		62.00	48.40		KOYO	NA206
NA207 - 3L	2		35.00		72.00	51.10		KOYO	NA207
NA208 - 3L	2		40.00		80.00	54.30		KOYO	NA208

Grub Screws In Inner Ring:




Part number	Type	Notes	I.D. mm (J)	I.D. inch (J)	O.D. mm (A)	W1 mm	W2 mm	Cross reference	
GY1012KRRB - 3L	1	Inch size bore	19.05	3/4	47.00	31.00		INA	GY1012 - KRR - B - AS2/V
GY1100KRRB - 3L	1	Inch size bore	25.40	1	52.00	34.00		INA	GY1100 - KRR - B - AS2/V
GY1104 - 206 - KRRB - 3L	1	Inch size bore	31.75	1 1/4	62.00	38.10		INA	GY1104 - 206 - KRR - B - AS2/V
GY1104KRRB - 3L	1	Inch size bore	31.75	1 1/4	72.00	42.90		INA	GY1104 - KRR - B - AS2/V
GY1108KRRB - 3L	1	Inch size bore	38.10	1 1/2	80.00	49.20		INA	GY1108 - KRR - B - AS2/V
GY1112KRRB - 3L	1	Inch size bore	44.45	1 3/4	85.00	49.20		INA	GY1112 - KRR - B - AS2/V
GY1200KRRB - 3L	1	Inch size bore	50.80	2	100.00	55.60		INA	GY1200 - KRR - B - AS2/V
UC204 - 3L	1		20.00		47.00	31.00		INA	UC204
UC205 - 16 - 3L	1	Inch size bore	25.40	1	52.00	34.10		INA	UC205 - 16
UC205 - 3L	1		25.00		52.00	34.10		INA	UC205
UC206 - 3L	1		30.00		62.00	38.10		INA	UC206
UC207 - 3L	1		35.00		72.00	42.90		INA	UC207
UC208 - 24 - 3L	1	Inch size bore	38.10	1 1/2	80.00	49.20		INA	UC208 - 24
UC208 - 3L	1		40.00		80.00	49.20		INA	UC208
UC209 - 28 - 3L	1	Inch size bore	44.45	1 3/4	85.00	49.20		INA	UC209 - 28
UC209 - 3L	1		45.00		85.00	49.20		INA	UC209
UC210 - 3L	1		50.00		90.00	51.60		INA	UC210
UC212 - 3L	1		60.00		110.00	65.10		INA	UC212


Farm Radial Specials




202NPP9




CF5202-2RST-E




5203KYY2




203JD




203KRR3




203KRR6



203NPP9




838607A/204JY3/204RY2
204PY3/AA21480/DG1645ARSL



Z9504-2RST


Farm Radial Specials



5204KP2

AA59196/P59196B/SMA59196


204KRR14



205KRR2-SSM6-NR

205KP6

205KR3




205KRP2


205KYY3

205PP8


Farm Radial Specials




205PP9




205PP10




205PP12




AA205/205GP/205DDS/205WH/AG1235B




CB205DDH




206KP2



206KPP16



206KRP4/AA34616HD
DG2526ARSL/206RTQ



5206KPP3


JIANGSU WALLONG-HSIN MACHINERY ENGINEERING CORPORATION LTD.

SINO-MACHINERY AGRO-DEVELOPMENT INVESTMENT CO., LTD. JIANGSU BRANCH


website: www.camcjsw-bearings.com e-mail: guchenglong@camcjsw.com camcjsw@camcjsw.com(general)

tel: +86-510-8270 1813(General) +86-510-8273 6527(Business) fax: +86-510-8272 5039/ 8271 0822


Farm Radial Specials




207KRR28/CB207DDH




207KRR14




207KYY




208KRR4




AA22097




208KP2



X365



AA35741



208KR4

JIANGSU WALLONG-HSIN MACHINERY ENGINEERING CORPORATION LTD.

SINO-MACHINERY AGRO-DEVELOPMENT INVESTMENT CO., LTD. JIANGSU BRANCH

website: www.camcjsw-bearings.com e-mail: guchenglong@camcjsw.com camcjsw@camcjsw.com(general)

tel: +86-510-8270 1813(General) +86-510-8273 6527(Business) fax: +86-510-8272 5039/ 8271 0822